






Back to Wall Bath Installation Instructions

CONGRATULATIONS ON THE PURCHASE OF YOUR NEW CASA LUSO FREESTANDING BATH. WE HOPE YOU AND YOUR FAMILY ENJOY YOUR NEW PRODUCT AND CONSIDER US FOR ANY FUTURE PROJECT. CASA LUSO PRODUCTS HAVE BEEN MANUFACTURED UNDER THE HIGHEST STANDARDS OF QUALITY AND WORKMANSHIP.



Tools Required:



The warranty will not apply if:

- The product has been damaged by improper use;
- The product has not been used in accordance with any applicable instruction guide;
- The purchaser has attempted to modify or repair the product;
- The purchaser has failed to observe the cleaning and maintenance guidelines;
- The product is not installed by a licenced Plumber.

Warranty (Domestic Use) :

7 year Replacement product (bath shell)
1 year labour


Material: Sanitary Grade Acrylic

Product warranties are personal to the person who acquires the product for their own consumption or use and not for resale or resupply. Claims with this product cannot be made by anyone other than the consumer. Where a product is covered by parts and labour warranty, the warranty covers both the repair of the defective part or the provision of a spare part to replace the defective part and the installation of that part. Where a product is covered by parts only, the warranty covers both the repair of the defective part or the provision of a spare part in replacement. It does not include the removal of the defective part or the installations of the repaired or replaced part. We reserve the right to provide minor components (e.g. handles, aerators, hoses, dress rings, washers, outlet valves, air tubes and rubber seals) as 'Parts Only' to the customer. Casa Lusso reserves the right to alter/ amend this warranty offer in writing at any time.

FAILURE TO COMPLY WITH ANY OF THE ABOVE INSTRUCTIONS WILL VOID ALL WARRANTIES



Back to Wall Bath Installation Instructions

01



The flexible waste pipe is not provided. Sold separately.

NOTE:




Back to Wall Bath Installation Instructions


02




03




NOTE: Please check no water is leaking from these positions.



04



05



Back to Wall Bath Installation Instructions

Important

Please unwrap the bath and check it carefully to ensure it has not been damaged in handling or transport. Any installation should be carried out by a qualified tradesman with knowledge of statutory plumbing requirements in your area.

Care and Maintenance

A) To preserve the polished surface, after using your bath, clean with soft cloth and warm soapy water to wash away any body oils or soap residue that forms a ring tide mark. Household detergents with aggressive, chlorinated and/or abrasive constituents may not be used because this will damage the surface of the bathtub. However, never use acetic acid, the acrylic surface material will be irreversible damaged.

B) As a weekly cleaner we recommend warm, soapy water. Do not use powders, pastes, cream cleaners, thinners, window cleaning sprays or dry cleaning liquid, etc.

C) Repairing a scratch: If any scratches occur during installation these can be removed by rubbing with a 1500+ grit waterproof abrasive paper and water. Re-polish the surface afterwards using a neutral automotive colour restorer or household metal polish. For best results limit sanding to the smallest possible area around the scratch.